

Uponor Smatrix Base thermostat T-144 Bus flush RAL9016

1086973

- measures perceived room temperature
- designed for in-wall box installation including frame
- different frames can be used for installation in a switch rail frame
- protection class: IP30
- color: white glossy

Functions:

- heating/cooling demand indication
- dip switch to enable/disable timer function if timer installed

Consisting of:

- Uponor Smatrix Base thermostat flush T-144 Bus
- mounting material
- outer frame



Application information Uponor Smatrix Base thermostat T-144 Bus flush

Specification

- up to 4 controller in one system
- operating voltage: 230V
- autobalancing optimises energy use and comfort
- electric control
- supports up to 6 room thermostats and 8 actuators (24V) per controller
- pump and boiler relays
- valve and pump exercise
- relative humidity control
- different wiring options (daisy chain / star)
- 4-wire Bus installation
- communication protocol: RS485 serial bus
- max. power input per actuator: 24VAC / 0.2A (0.4A peak)

Smatrix Base Pulse:

- local access (Wi-Fi) or remote access (internet connection required) via Uponor Smatrix Pulse App (with R-208)
- temporary wi-fi access point for direct access (if local wi-fi is not available) (with R-208)
- smart home ecosystem integration (Amazon Alexa, Google Home) (with R-208)
- multi-home control (with R-208)
- third-party access for remote support (user allowance required) (with R-208)
- history trend analysis via Uponor Smatrix Pulse app (with R-208)
- timer programming (with R-208)
- comfort settings (with R-208)
- supply diagnostics (with R-208)

Application

- wired room temperature control for radiant heating and cooling
- set point range: +5°C ... +35°C

Certification

- CE / EAC

Uponor Smatrix Base thermostat T-144 Bus flush RAL9016

1086973



Technical data

Item no EAN	4021598149038
Item no GTIN	04021598149038
Item no VVS	466253034
RSK no.	2987780
Item no NRF	8361086
Item no LVI	2024516
Item (unit of measurement)	pce
Length (l)	85 mm
Z-measurement h	40 mm
Z-measurement w	90 mm
Packaging Quantity 1	1
Packaging Quantity 3	60
Packaging Quantity 4	1440
Packaging GTIN PL1	06414905284450
Packaging GTIN PL3	06414905284467
Packaging GTIN PL4	06414905630400
Item Unit Length	85
Item Unit Height	40
Item Unit Weight	0,067
Item Unit Width	90

Documents

[Page with all documents](#) 

Finland

T +358 (0)20 129 211

www.uponor.com