

Uponor Smatrix Wave thermostat T-163 public RAL9016

1086979

- measures perceived room temperature
- protection class: IP30
- color: white glossy

Functions:

- light indication behind dial after changing the set point
- heating/cooling demand indication
- dip switch to enable/disable timer function if timer installed
- optional: enable/disable timer function

Consisting of:

- Uponor Smatrix Wave thermostat standard T-165 POD
- 2x AAA batteries
- mounting material



Application information Uponor Smatrix Wave thermostat T-163 public

Specification

- up to 4 controller in one system
- operating voltage: 230V
- autobalancing optimises energy use and comfort
- electric control
- supports up to 6 room thermostats and 8 actuators (24V) per controller
- pump and boiler relays
- valve and pump exercise
- relative humidity control
- combines underfloor heating/cooling and ceiling cooling control
- max. power input per actuator: 24VAC / 0.2A (0.4A peak)

Smatrix Wave Pulse:

- local access (Wi-Fi) or remote access (internet connection required) via Uponor Smatrix Pulse App (with R-208)
- temporary wi-fi access point for direct access (if local wi-fi is not available) (with R-208)
- smart home ecosystem integration (Amazon Alexa, Google Home) (with R-208)
- multi-home control (with R-208)
- third-party access for remote support (user allowance required) (with R-208)
- history trend analysis via Uponor Smatrix Pulse app (with R-208)
- timer programming (with R-208)
- comfort settings (with R-208)
- supply diagnostics (with R-208)

Application

- wireless room temperature control for radiant heating and cooling
- set point range: +5°C ... +35°C

Certification

- CE / EAC

Uponor Smatrix Wave thermostat T-163 public RAL9016

1086979



Technical data

| | |
|----------------------------|----------------|
| Item no EAN | 4021598149090 |
| Item no GTIN | 04021598149090 |
| Item no VVS | 466251022 |
| RSK no. | 2987786 |
| Item no NRF | 8361078 |
| Item no LVI | 2024502 |
| Item (unit of measurement) | pce |
| Length (l) | 80 mm |
| Z-measurement h | 25 mm |
| Z-measurement w | 80 mm |
| Packaging Quantity 1 | 1 |
| Packaging Quantity 3 | 75 |
| Packaging Quantity 4 | 1800 |
| Packaging GTIN PL1 | 06414905284597 |
| Packaging GTIN PL3 | 06414905284603 |
| Packaging GTIN PL4 | 06414905284610 |
| Item Unit Length | 80 |
| Item Unit Height | 25 |
| Item Unit Weight | 0,096 |
| Item Unit Width | 80 |

Documents

Page with all documents

Finland

T +358 (0)20 129 211

www.uponor.com