

Uponor Smatrix Wave thermostat T-165 POD standard RAL9016

1086981

- measures perceived room temperature
- protection class: IP30
- color: white glossy

Functions:

- light indication behind dial after changing the set point
- heating/cooling demand indication
- dip switch to enable/disable timer function if timer installed
- optional: enable/disable timer function

Consisting of:

- Uponor Smatrix Wave thermostat standard T-165 POD
- 2x AAA batteries
- mounting material



Application information Uponor Smatrix Wave thermostat T-165 POD standard

Specification

- up to 4 controller in one system
- operating voltage: 230V
- autobalancing optimises energy use and comfort
- electric control
- supports up to 6 room thermostats and 8 actuators (24V) per controller
- pump and boiler relays
- valve and pump exercise
- relative humidity control
- combines underfloor heating/cooling and ceiling cooling control
- max. power input per actuator: 24VAC / 0.2A (0.4A peak)

Smatrix Wave Pulse:

- local access (Wi-Fi) or remote access (internet connection required) via Uponor Smatrix Pulse App (with R-208)
- temporary wi-fi access point for direct access (if local wi-fi is not available) (with R-208)
- smart home ecosystem integration (Amazon Alexa, Google Home) (with R-208)
- multi-home control (with R-208)
- third-party access for remote support (user allowance required) (with R-208)
- history trend analysis via Uponor Smatrix Pulse app (with R-208)
- timer programming (with R-208)
- comfort settings (with R-208)
- supply diagnostics (with R-208)

Application

- wireless room temperature control for radiant heating and cooling
- set point range: +5°C ... +35°C

Certification

- CE / EAC

Uponor Smatrix Wave thermostat T-165 POD standard RAL9016

1086981



Technical data

Item no EAN	4021598149113
Item no GTIN	04021598149113
Item no VVS	466251021
RSK no.	2987788
Item no NRF	8361081
Item no LVI	2024501
Item (unit of measurement)	pce
Length (l)	80 mm
Z-measurement h	25 mm
Z-measurement w	80 mm
Packaging Quantity 1	1
Packaging Quantity 3	75
Packaging Quantity 4	1800
Packaging GTIN PL1	06414905284627
Packaging GTIN PL3	06414905284634
Packaging GTIN PL4	06414905284641
Item Unit Length	80
Item Unit Height	25
Item Unit Weight	0,108
Item Unit Width	80

Documents

[Page with all documents](#)

Finland

T +358 (0)20 129 211

www.uponor.com