


Uponor Smatrix Base starter set Pulse L

1093282

- ready-to-use carefree package with basic system setup for single family homes
- extendable on demand
- compatible to Uponor Smatrix Base controller Pulse X-245 Bus 6X
- protection class: Class II IP20
- color: white

Consisting of:

- 1x Uponor Smatrix com Pulse R-208
- 2x Uponor Smatrix Base controller Pulse X-245 Bus 6X
- 5x Uponor Smatrix Base thermostat D+RH Style T-149 Bus
- first step instructions, safety instructions
- mounting material



Application information Uponor Smatrix Base starter set Pulse L

Specification

- up to 4 controller in one system
- operating voltage: 230V
- autobalancing optimises energy use and comfort
- electric control
- supports up to 6 room thermostats and 8 actuators (24V) per controller
- pump and boiler relays
- valve and pump exercise
- relative humidity control
- different wiring options (daisy chain / star)
- 4-wire Bus installation
- communication protocol: RS485 serial bus
- max. power input per actuator: 24VAC / 0.2A (0.4A peak)

Smatrix Base Pulse:

- local access (Wi-Fi) or remote access (internet connection required) via Uponor Smatrix Pulse App (with R-208)
- temporary wi-fi access point for direct access (if local wi-fi is not available) (with R-208)
- smart home ecosystem integration (Amazon Alexa, Google Home) (with R-208)
- multi-home control (with R-208)
- third-party access for remote support (user allowance required) (with R-208)
- history trend analysis via Uponor Smatrix Pulse app (with R-208)
- timer programming (with R-208)
- comfort settings (with R-208)
- supply diagnostics (with R-208)

Application


- wired room temperature control for radiant heating and cooling
- set point range: +5°C ... +35°C

Certification

- CE / EAC

Uponor Smatrix Base starter set Pulse L

1093282



Technical data

Item no EAN	6414905229222
Item no GTIN	06414905229222
Item no VVS	466253302
Item (unit of measurement)	set
Length (l)	385 mm
Z-measurement h	140 mm
Z-measurement w	285 mm
Packaging Quantity 1	1
Packaging Quantity 4	2
Packaging Quantity 4	24
Packaging GTIN PL1	06414905441709
Packaging GTIN PL2	06414905478002
Packaging GTIN PL4	06414905478019
Item Unit Length	385
Item Unit Height	140
Item Unit Weight	3,2860
Item Unit Width	285

Documents

Page with all documents



Uponor Corporation

Ilmalantori 4
00240, Helsinki
Finland

T +358 (0)20 129 211

www.uponor.com