

Uponor Smatrix Wave thermostatic head T-162

1071660

- digital thermostat with actuator for radiator control
- valve compatibility (Danfoss, Heimeier, Honeywell, Siemens, Sauter, etc.)
- color: glossy white

Functions:

- comfort/ECO settings
- weekly programmable
- holiday mode
- antifreeze program
- boost function
- backlight
- optional: automatic summer/winter clock

Consisting of:

- Uponor Smatrix Wave thermostatic head T-162
- 2x AA batteries
- different adaptors
- manual



About Uponor Smatrix Wave thermostatic head T-162

Specification

- up to 4 controller in one system
- operating voltage: 230V
- autobalancing optimises energy use and comfort
- electric control
- supports up to 6 room thermostats and 8 actuators (24V) per controller
- pump and boiler relays
- valve and pump exercise
- relative humidity control
- combines underfloor heating/cooling and ceiling cooling control
- max. power input per actuator: 24VAC / 0.2A (0.4A peak)

Smatrix Wave Pulse:

- local access (Wi-Fi) or remote access (internet connection required) via Uponor Smatrix Pulse App (with R-208)
- temporary wi-fi access point for direct access (if local wi-fi is not available) (with R-208)
- smart home ecosystem integration (Amazon Alexa, Google Home) (with R-208)
- multi-home control (with R-208)
- third-party access for remote support (user allowance required) (with R-208)
- history trend analysis via Uponor Smatrix Pulse app (with R-208)
- timer programming (with R-208)
- comfort settings (with R-208)
- supply diagnostics (with R-208)

Application

- wireless room temperature control for radiant heating and cooling
- set point range: +5°C ... +35°C

Certification

- CE / EAC

Uponor Smatrix Wave thermostatic head T-162

1071660



Technical data

Item no EAN	4021598130722
Item no GTIN	04021598130722
Item no VVS	466251050
RSK no.	5398315
Item no NRF	8361212
Item no LVI	2024509
Item (unit of measurement)	pce
Length (l)	85 mm
Z-measurement h	55 mm
Z-measurement w	50 mm
Packaging Quantity 1	1
Packaging Quantity 3	16
Packaging Quantity 4	384
Packaging GTIN PL1	06414905415854
Packaging GTIN PL3	06414905630097
Packaging GTIN PL4	06414905630288
Item Unit Length	85
Item Unit Height	55
Item Unit Weight	0,179
Item Unit Width	50

Technical documents

[Download documents here](#) 

UK

T +44 (0)1923 927000
E enquiries.uk@uponor.com

www.uponor.com/en-gb