

Joist Trak

Renseignements sur le projet

| | |
|-----------------------------|---------------------|
| Nom du poste : | Lieu : |
| Ingénieur : | Date de soumission: |
| Entrepreneur : | Présentée par: |
| Représentant du fabricant : | Approuvé par : |

Données techniques

| | |
|-------------------------|-------------------|
| Material | Aluminum |
| Subcomponent Material | 16-gauge aluminum |
| Prop 65 label required? | Yes |

Informations sur le produit et utilisation de l'application

Use Joist Trak™ extruded aluminum heat transfer panels with $\frac{3}{8}$ " or $\frac{1}{2}$ " Uponor PEX in floor joist applications. Each panel is 4 feet long by $3\frac{1}{2}$ inches wide, and comes packaged 20 per box. It provides easy installation, increased heat transfer and superior comfort.



| Nom de la pièce | Numéro de pièce | A [inch] | B [inch] | C [inch] | Weight per UOM [lbs/UOM] |
|--------------------------------------|-----------------|----------|----------|----------|--------------------------|
| Joist Trak, 3/8" Heat Transfer Panel | A5080375 | 48 | 3.5 | 0.546 | - |
| Joist Trak, 1/2" Heat Transfer Panel | A5080500 | 48 | 3.5 | 0.675 | - |

L'installation

Using the pre-punched mounting holes, install the panels with either screws or nails. Leave a minimum $\frac{1}{4}$ " gap between plates to allow for expansion. Simply snap the tubing into the channel of the Joist Trak panel. Refer to the Uponor Joist Trak Heat Transfer Panel Installation Handbook for additional information.

Applications connexes

Radiant Heating and Cooling Systems

Notes de bas de page

-

Coordonnées de la personne-ressource

Uponor Inc.
5925 148th Street West
Apple Valley, MN 55124
T 800.321.4739
F 952.891.2008

Uponor Ltd.
6510 Kennedy Road
Mississauga, ON L5T 2X4
T 888.594.7726
F 800.638.9517