


Uponor

Build on Uponor with Comfort E

Experience Uponor Comfort E, electric underfloor heating with the flattest cable that is easy to set up and quick to respond – to enrich the little moments in life



Enjoy individual heating moments

Uponor Comfort E for your personal heating moments

Imagine your feet touch a warm floor when you get out of bed in the morning or after having a shower. Easy to realise with Uponor Comfort E – the electric underfloor heating for any comfort space.




- **Wherever:** flexible installation options for any floor type in new-build and renovation projects
- **Whenever:** easy to install and create your comfortable place in no time at all
- **With quality:** rely on Uponor, the world's expert in underfloor heating, with quality made in Germany



Energy-efficient



10-year warranty



Ideal for renovation



High quality

Uponor Comfort E – electric underfloor heating at its best

- **Ideal for new build and renovation**
Uponor Comfort E fits for tiles, laminate, parquet or vinyl floor covering in dry and wet floor constructions. Due to extra slim materials, a low floor height can be maintained.
- **Easy installation**
Uponor Comfort E is easy to install and set up, even in small rooms with difficult spatial geometry. The cable mats don't need any further adhesive and help you to save installation time and costs – no special tools needed. Alternative you can use single cable for individual installation.
- **Quick comfort**
Heats up and turns your floor into your comfort zone within minutes!
- **Quality made in Germany**
Rely on Uponor, the world's leading expert in underfloor heating and enjoy product safety.




Easy planning with the Uponor Comfort E Designer

Create your personal Comfort E layout plan and shopping list with just a few clicks: comfort-e-planer-uponor.com

... with Uponor Comfort E at any time.

Ultimately thin:


The flattest sew-up cable mat with cables of only 3 mm in diameter fits perfectly under tiles. Self-attaching mat fixation where the cable is sewed to the mesh guarantees no lifting up for fast and easy installation – even without any additional adhesives. Available in range of 100W/m² from 100W to 1200W and of 160W/m² from 160W to 1920W.



10-year warranty*
The cable is firmly sewn onto the mesh over the entire surface.

Extra functional:


The aluminium foil fits for laminate, parquet or vinyl floor covering – without any special tools needed on-site. It is less than 2 mm in diameter and ensures optimal heat distribution. Save energy and reduce step sound with insulation boards from Uponor underneath. Available in range of 140W/m² from 140W to 1400W.



10-year warranty*
Add Uponor insulation for additional energy savings.

Especially flexible:

The high quality single cable is ideal solution for complicated room spaces under the tiles. 2-wire shielded cable is only 3 mm in diameter and can be easily fixed on the prepared floor with the tape or in the clamp tracks. Available in range from 150W to 1850W.



10-year warranty*

For complete comfort: add your original Uponor control



Schedule your heating in advance with the programmable thermostat. Conformity of EU2015/1188.



Keep track of your heating costs with this programmable control unit. Conformity of EU2015/1188.



Benefit from the intuitive usage of our dial thermostat.

*More details at: uponor.com/comfort-e

Heating mat type	Laying area (m ²)	Heating mat length (m)	100W/m ² heating mat capacity (W)	160W/m ² heating mat capacity (W)
Uponor Comfort E Cable Mat	1	2	100	160
Uponor Comfort E Cable Mat	1,5	3	150	240
Uponor Comfort E Cable Mat	2	4	200	320
Uponor Comfort E Cable Mat	2,5	5	250	400
Uponor Comfort E Cable Mat	3	6	300	480
Uponor Comfort E Cable Mat	4	8	400	640
Uponor Comfort E Cable Mat	5	10	500	800
Uponor Comfort E Cable Mat	6	12	600	960
Uponor Comfort E Cable Mat	7	14	700	1120
Uponor Comfort E Cable Mat	8	16	800	1280
Uponor Comfort E Cable Mat	10	20	1000	1600
Uponor Comfort E Cable Mat	12	24	1200	1920

Heating mat type	Laying area (m ²)	Heating mat length (m)	140W/m ² heating mat capacity (W)
Uponor Comfort E Al-Foil Mat	1	2	140
Uponor Comfort E Al-Foil Mat	2	4	280
Uponor Comfort E Al-Foil Mat	3	6	420
Uponor Comfort E Al-Foil Mat	4	8	560
Uponor Comfort E Al-Foil Mat	5	10	700
Uponor Comfort E Al-Foil Mat	6	12	840
Uponor Comfort E Al-Foil Mat	7	14	980
Uponor Comfort E Al-Foil Mat	8	16	1120
Uponor Comfort E Al-Foil Mat	9	18	1260
Uponor Comfort E Al-Foil Mat	10	20	1400

Heating cable type	Cable heating capacity (W)	Heating cable length (m)	Area (m ²) 6 cm*	Area (m ²) 10 cm*	Area (m ²) 15 cm*
Uponor Comfort E Heating Cable	150	13	0,8 m ²	1,3	1,9 m ²
Uponor Comfort E Heating Cable	300	25	1,5 m ²	2,5	3,8 m ²
Uponor Comfort E Heating Cable	460	37	2,2 m ²	3,7	5,5 m ²
Uponor Comfort E Heating Cable	700	54	3,2 m ²	5,4	8,1 m ²
Uponor Comfort E Heating Cable	930	75	4,5 m ²	7,5	11,2 m ²
Uponor Comfort E Heating Cable	1100	87	5,2 m ²	8,7	13,0 m ²
Uponor Comfort E Heating Cable	1550	124	7,4 m ²	12,4	18,6 m ²
Uponor Comfort E Heating Cable	1850	143	8,6 m ²	14,3	21,4 m ²

*distance between cables

Uponor Corporation

Äyritie 20
01510 Vantaa
Finland

T +358 (0)20 129 211
F +358 (0)20 129 2841



[uponor.com/comfort-e](https://www.uponor.com/comfort-e)