

DECLARATION OF PERFORMANCE

No. CPR-20-IC-001

1. Unique identification code of the product-type:

1005485, Uponor Siccus 14 Panel

2. Intended use or uses of the construction product, in accordance with the applicable harmonised technical specification, as foreseen by the manufacturer:

Thermal insulation for buildings

3. Name, registered trade name or registered trade mark and contact address of the manufacturer as required pursuant to Article 11(5):

Uponor GmbH, Industriestraße 56 D-97437 Hassfurt, Germany

4. Where applicable, name and contact address of the authorised representative whose mandate covers the tasks specified in Article 12(2):

N/A

5. System or systems of assessment and verification of constancy of performance of the construction product as set out in Annex V:

System 3

6. In case of the declaration of performance concerning a construction product covered by harmonized standard EN 13163:2013-05 for which:

- Güteschutzgemeinschaft Hartschaum e. V. (GSH), Schildenstraße 24, D-29221 Celle, Germany– Notification no. 0919
- Forschungsinstitut für Wärmeschutz e.V. München (FIW), Lochhamer Schlag 4, D-82166 Gräfelfing Germany- Accreditation D-PL-14116-01-00

Performed initial tests type in system: 3 and issued Test reports:

- GSH 11074,
- Z-23.15-1446

7. Declared performance

Essential characteristics	Performance	Remarks if relevant	Harmonised technical specification
Thermal resistance/ conductivity	0,033 W/mK	EN 13163 declared value	EN 13163
	0,035 W/mK	DIN 4108-10 design value	
	R _D 0,66 m ² K/W		
Dimensional tolerances	±3mm	L(3)	
	±3mm	W(3)	
	±2mm	T(2)	
	±5mm	S(5)	
	10mm	P(10)	
Dimensional Stability	DS(70,-)3	≤3%	
	DS(N)5	± 0,5%	
Deformation at def. Pressure & Temperature Stress	DLT(2)5	≤5%	
Bending Stress	BS 200	≥200 kPA	
Compression behaviour	CS[10]150	≥150 kPA	
Reaction to fire	B1	DIN 4102	


8. Appropriate Technical Documentation and/or Specific Technical Documentation

N/A

The performance of the product identified in points 1 and 2 is in conformity with the declared performance in point 7.

This declaration of performance is issued under the sole responsibility of the manufacturer identified in point 3.

Signed for and on behalf of the manufacturer by:




i.V. Markus Friedrichs

Head of Product Management

Uponor GmbH

Hassfurt, 06.06.2014



i.V. Ralf-Ulrich Nylkiel

Head of Supplier Quality Assurance

Uponor GmbH

Ochtrup, 06.06.2014

Teljesítménynyilatkozat

275/2013. (VII.16.) kormányrendelet alapján

1. Termék típusa:

1005485 Uponor Siccus 14 rendszerlemez

2. Termék rendeltetése:

Szigeteléssel ellátott felületfűtési és -hűtési rendszerpanelek, ahol a beépítés és a felhasználás körülményei megfelelnek a műszaki katalógusban megadottaknak.

3. Termék gyártója:

Uponor GmbH. D-97437 Hassfurt, Industriestrasse 56. Németország

4. Képviselő neve:

N/A

5. A teljesítmény állandóságának értékelésére és ellenőrzésére szolgáló tanúsítási rendszer:

3. rendszer

6. Bejelentett szervezet:

- Güteschutzgemeinschaft Hartschaum e. V. (GSH), Schildenstraße 24, D-29221 Celle, Germany;
- Kutatóintézet e.V. München (FIW), Lochhamer Schlag 4, D-82166 Gräfelfing Germany típusvizsgálat 1.rendszerre: Tanúsítvány GSH 11074, Z-23.15-1446.

Típusvizsgálatok 3.rendszerre:

- GSH 11074,
- Z-23.15-1446

7. Nyilatkozat szerinti teljesítmény:

Termékjellemző	Termékjellemző érték	Vizsgálati vagy számítási módszer
Hővezetési ellenállás/ tényező	0,033 W/mK (EN 13163)	EN 13163
	0,035 W/mK (DIN 4108-10)	
	R _D 0,66 m ² K/W	
Mérettűrések	Sz.: ±3mm	
	H.: ±3mm	
	M.: ±2mm	
Mérettartósság	DS(70,-)3 (≤3%)	
	DS(N)5 (±0,5%)	
	DLT(2)5 (≤5%)	
Tűzvédelmi osztály	B1	
Hajlító feszültség	BS200 (≥200kPa)	
Kompressziós viselkedés	CS(10)150 (≥150kPa)	

8. Kiegészítő dokumentumok:

N/A

Az 1. és 2. pontban meghatározott termék teljesítménye megfelel a 7. pontban feltüntetett, nyilatkozat szerinti teljesítménynek. E teljesítménynyilatkozat kiadásáért kizárólag a 3. pontban meghatározott gyártó a felelős.