






Uponor Decibel hoonekanalisatsiooni toodete loetelu

Muhvtoru	d_e	L	Uponori nr
	50	3000	1000193
	75	3000	1000194
	110	3000	1000195
	50	1000	1000196
	75	1000	1000197
	110	1000	1000198


15° põlv	d_e	α	L_1	L_2	Uponori nr
	50	15°	6	50	1000199
	75	15°	9	60	1000203
	110	15°	12	70	1000207


30° põlv	d_e	α	L_1	L_2	Uponori nr
	50	30°	10	54	1000200
	75	30°	15	66	1000204
	110	30°	19	77	1000208


45° põlv	d_e	α	L_1	L_2	Uponori nr
	50	45°	15	58	1000201
	75	45°	21	72	1000205
	110	45°	28	86	1000209


88,5° põlv	d_e	α	L_1	L_2	Uponori nr
	50	88,5°	30	73	1000202
	75	88,5°	44	91	1000206
	110	88,5°	69	125	1000210


88,5° lauge põlv	d_e	α	L_1	L_2	Uponori nr
	110	88,5°	106	167	1000211


45° kolmik	d_{e1}/d_{e2}	α	L	L ₁	L ₂	L ₃	Uponori nr
	50/50	45°	119	62	57	62	1000212
	75/50	45°	126	74	52	79	1000213
	75/75	45°	162	92	70	92	1000214
	110/50	45°	137	96	41	114	1000215
	110/75	45°	170	110	60	117	1000216
	110/110	45°	218	134	84	134	1000217


88,5° kolmik	d_{e1}/d_{e2}	α	L	L ₁	L ₂	L ₃	Uponori nr
	50/50	88,5°	100	27	73	28	1000218
	75/50	88,5°	108	28	80	40	1000219
	75/75	88,5°	142	49	93	49	1000220
	110/50	88,5°	120	28	92	56	1000221
	110/75	88,5°	147	48	99	66	1000222
	110/110	88,5°	178	60	118	59	1000223


88,5° lauge kolmik	d_{e1}/d_{e2}	α	L	L ₁	L ₂	L ₃	Uponori nr
	110/110	88,5°	206	58	148	95	1000224


88,5° lauge muhvrst	d_{e1}/d_{e2}	α	L	L ₁	L ₂	L ₃	Uponori nr
	110/110	88,5°	143	58	85	95	1000225


Kaksikmuhv	d_e	H	Uponori nr
	50	88,5	1000226
	75	105,5	1000227
	110	119,5	1000228

Liugmuhv	d_e	H	Uponori nr
	50	88,5	1000229
	75	105,5	1000230
	110	119,5	1000231

Siirdmik	d_{e1}/d_{e2}	H	L	Uponori nr
	75/50	12	19	1000232
	110/50	28	41	1000233
	110/75	16	27	1000234

Puhastustükk	d_e	d_o	L	L_1	Uponori nr
	75	88	88	70	1000235
	110	124	124	91	1000236

Kompensatsioonimuhv	d_e	L	L_1	Uponori nr
	110	87	265	1000237

Põhjapoogen	d_e	α	Uponori nr
	110	88,5°	1067838

armatuurraud, $\varnothing 6$
 pikkus 400 mm

